

FILEXFER/370™

UPDATE INSTRUCTIONS

Current Releases:

MVS: Release 04, Modification 00, PTF 9703

Enhancements

Release 4.0 PTF 9604:

- + JCL Files (AS/400 to MVS only). The XSAM, XVSAM, and XPDS commands allow the user to specify files containing JCL cards, which will be inserted into the submitted job stream. A pre and post JCL file can be specified.
- + UNIT(*NONE) (AS/400 to MVS only). The XSAM and XPDS commands, UNIT(*NONE) can be specified. No UNIT parameter will be built on the host system DD card.
- + Sync file, no unit restriction. The file BDS.XFER.SYNC no longer must reside on UNIT=SYSDA.
- + Work files, unit specification other than SYSDA allowed. The administrator can specify a UNIT parameter on the BFXOPTS module, which will apply to all work files FileXfer creates.
- + User exit programs, COBOL source provided. The administrator can use the COBOL or Assembler source in BDS.XFER.DATALIB when writing exit programs.

Problems Corrected

SYS REL PTF DESCRIPTION

MVS	4.0	9703	400 to MVS XSAM, specifying Pre-JCL file causes error, "Invalid number of job cards from exit pgm".
MVS	4.0	9702	R400FILE and R36FILE pgms, receive error opening work file, RC=021C.
MVS	4.0	9701	Tested and corrected for proper operation after Jan 1, 2000.
MVS	4.0	9603	MVS to S/36, XVSAM and R36FILE, VTAM open error 90 received.
MVS	4.0	9602	S/3X to MVS, time-out gives "error reading sync file" message
MVS	4.0	0000	Error on file PUT may cause file to be kept allocated.
MVS	4.0	0000	VTAM 4.3 uncovers evoke error.
MVS	3.2	9502	400, 36 XSAM & XPDS, Error (RACF, DCB) during open causes task under BDSMON to abend. Next run ends w/Remote System error (DD already allocated).
MVS	3.2	9502	MVS to 400 XSAM & XVSAM, PRIRECS=0 causes fcn chk on AS/400.
MVS	3.2	9501	(Enhancement) Password checking ignores changes to the 2nd digit of the Machine Serial Number. Thus changes due to LPAR assignments will not cause password problems.
MVS	3.2	9404	R400FILE, Allow 10 Char APPC user ID and password.
MVS	3.2	9403	XSAM, XVSAM, XPDS, R400FILE: Allow 10 char APPC user ID and

FILEXFER/370™

UPDATE INSTRUCTIONS

			Password
MVS	3.2	9403	MVS 4.3, file not found causes SVC 99 RC = 1708 0002 on remote system.
MVS	3.2	9403	XSAM, XVSAM, Multiple transfers in a job: VTAM RC = 0004 000A in 2nd, 3rd, etc. transfers.
MVS	3.2	9402	XSAM36, XVSAM36, and XPDS36 with EXEC(*NONE) gives error "Procedure not Found" on the S/36.
MVS	3.2	9401	AS/400 to MVS, XVSAM FROMFILE=*NOCOPY, task hangs on the MVS system.

Installation Instructions

WARNINGS:

1. The update may overlay any changes made to **BDS** objects by the user (XFEXIT01, BRS370). The user may need to reapply any changes made to **BDS** supplied objects after applying the update.

Note: The supplied tape contains the entire FileXfer package. If you are installing FileXfer for the first time, follow the instructions in Chapter 2, "Installation". Otherwise, use the instructions below to update your FileXfer to the latest version.

MVS:

1. Create **JCL** needed to load FileXfer. Note: File 5 on the supplied **BDS** tape, label **BDS.XFER.INSTJCL** contains sample **JCL** to assist you. The tape contains the following files:

5- BDS.XFER.INSTJCL.UNLOAD	Sample JCL
6- BDS.XFER.PROCLIB.UNLOAD	Procedures
7- BDS.XFER.DATALIB.UNLOAD	User Data and Exit Program Source
8- BDS.XFER.RUNLIB.UNLOAD	Programs and Load Modules

The above tape files must be loaded into the following PDS's:

- 5- (Your Choice)
- 6- BDS.XFER.PROCLIB
- 7- BDS.XFER.DATALIB
- 8- BDS.XFER.RUNLIB

User data such as your password and valid LU's is contained in **BDS.XFER.DATALIB**. You should only load the following members in **BDS.XFER.DATALIB**. Otherwise data loss will occur:

XFEXIT01 thru XFEXIT07
XFEX01C thru XFEX07C

FILEXFER/370™

UPDATE INSTRUCTIONS

BRS370
BXFOPTS

The contents of **BDS.XFER.PROCLIB** and **BDS.XFER.RUNLIB** can be completely replaced by the tape files.

2. Stop all tasks sending output into this system. This update will take approximately 10 minutes.
3. Edit the member **BRCTRL** in PDS **BDS.XFER.DATALIB**.
Change positions 2 thru 9 to reflect the current software level indicated above.
4. If you have assembled the following programs, you must reassemble them into **BDS.XFER.RUNLIB**:

XFEXIT01 thru XFEXIT07
XFEX01C thru XFEX07C
BRS370 (Must be linked as reusable)
BXFOPTS (Must be linked as reusable)

FileXfer/MVS is now updated to the new release.