

CHANGING FROM, FONT, OR FCB DURING TRANSMISSION

Remote SpoolPrint3X/400 will optionally translate Form or Font ID's, or S/370 FCB's during transmission to the remote system. This feature is useful when the source and target systems have different Forms ID naming conventions. The translation can be different for each remote writer. For example the forms ID 'CHECK9INCH' can be translated to 'CHK9' when transmitted to Remote System A, and translated to 'CK9I' when transmitted to Remote System B. A forms translation table is used to define the translation scheme.

Before a Remote Writer transmits a spool entry, the entry's Forms ID is checked in the table. First Remote SpoolPrint3X/400 checks for a table entry which matches both the Forms ID and the Remote Writer name. If a match is found, the Forms ID is changed. If no match is found, the table is checked for an entry which matches the Forms ID and has *ANY for the Remote Writer Name. If a match is found, the forms ID is changed. If no match is found, no translation takes place. Font ID and FCB Translation is similar to Form ID Translation.

Managing the Forms Translation Table

To enter, update, or delete forms translation entries, at the command line enter, MNGFRMTBL, then press enter. The following screen should appear:

```
Remote SpoolPrint/400™
Maintain the Forms Translate Table

Option (A, C, or D):      A

Source Forms ID: _____
Remote Writer Name: _____ or *ANY

Target Forms ID: _____
Text: _____

CMD-3  EXIT
```

The MNGFRMTBL command has the following parameters:

Option

Specify A (Add), C (Change), or D (Delete). Changes made will take affect immediately.

Source Forms ID

Specifies the Forms ID on the source system which is to be translated when encountered.

Remote Writer Name

REMOTE SPOOLPRINT 3X/400™

Specifies the Remote Writer name. Both the Forms ID and Remote Writer name are used to test for translation. A value of *ANY specifies that any remote writer will use this entry for translation.

Target Forms ID

Specifies the Forms ID to substitute. Please note that the System/36 Forms ID must be no longer than 4 characters. The remaining characters will be truncated.

Text

Specify descriptive text.

Listing the Forms Translation Table

Use the LSTFRMTBL command to list Forms Translation Table entries. Output generated will use the printer file BRSPFORML in library BRODERICK.

Managing the Font Translation Table

To enter, update, or delete font translation entries, at the command line enter, MNGFONTBL, then press enter. The following screen should appear:

```
Remote SpoolPrint/400™
Maintain the Font Translate Table

Option (A, C, or D):      A

Source Font ID: _____
Remote Writer Name: _____ or *ANY

Target Font ID: _____
Text: _____

CMD-3  EXIT
```

The MNGFONTBL command has the following parameters:

Option

Specify A (Add), C (Change), or D (Delete). Changes made will take affect immediately.

Source Font ID

Specifies the Font ID on the source system which is to be translated when encountered.

CHANGING FROM, FONT, OR FCB DURING TRANSMISSION

Remote Writer Name

Specifies the Remote Writer name. Both the Font ID and Remote Writer name are used to test for translation. A value of *ANY specifies that any remote writer will use this entry for translation.

Target Font ID

Specifies the Font ID to substitute. Please note that a System/36 Font ID must be 2 hex characters.

Text

Specify descriptive text.

Listing the Font Translation Table

Use the LSTFONTBL command to list Forms Translation Table entries. Output generated will use the printer file BRSPFONTL in library BRODERICK.

Managing the FCB Translation Table

To enter, update, or delete FCB translation entries, at the command line enter MNGFCBTBL, then press enter. The following screen should appear:

```
Remote SpoolPrint/400™
Maintain S/370 FCB Translation Table

Option (A, C, or D):          A

Remote Writer Name: _____ or *ANY
Source Lines per Page:  66      1-255
Source Lines per Inch:  6       1-99

Target S/370 FCB: _____
Text: _____

CMD-3 EXIT
```

The MNGFCBTBL command has the following parameters:

Option

Specify A (Add), C (Change), or D (Delete). Changes made will take affect immediately.

Remote Writer Name

REMOTE SPOOLPRINT 3X/400™

Specifies the Remote Writer name. A value of *ANY specifies that any remote writer will use this entry for translation.

Source Lines Per page:

Specify the lines per page to use for translation.

Source Lines Per inch

Specify the lines per inch to use for translation.

Target S/370 FCB Name:

Specifies the FCB name to substitute. Please note that a System/370 FCB name must be type *NAME.

Text

Specify descriptive text.

Listing the FCB Translation Table

Use the LSTFCBTBL command to list FCB Translation Table entries. Output generated will use the printer file BRSPLFCBL in library BRODERICK.